Starfloor Click Ultimate 30


LUXURY VINYL TILES



The Ultimate hassle-free modular floor at the forefront of design trends.

and the second se







Beautiful flooring made for the real world

Introducing Tarkett's new rigid luxury vinyl tile, (LVT), **Starfloor Click Ultimate 30**. This innovative, multi-layered flooring is waterproof, sound-absorbent and highly resistant. Available in tile and plank format, it's ideal for new homeowners who want a design-rich floor tough enough for family life.

CONTENTS


| The Ultimate home floor tough enough for family life Ultimate Robustness Ultimate Installation Ultimate Acoustic Comfort Ultimate Design | 05 |
|---|----|
| Tarkett decorative trends | 11 |
| Caring for People and the Planet | 13 |
| Discover our full Starfloor Click Ultimate 30 collection | 15 |
| Vermont Oak Lakeside Oak Liguria Oak Cascade Oak Galloway Oak Tarragona Dura | |
| Accessoiries for an Ultimate finish | 45 |
| Technical specifications | 47 |

THE ULTIMATE HOME FLOOR TOUGH ENOUGH FOR FAMILY LIFE

Rigid core: the benefits are all yours

What makes Starfloor Click Ultimate 30 so outstanding is its rigid core, which provides structural solidity close to laminate or wood. Add to that the waterproof finish of luxury vinyl tiles, and you have a uniquely durable product. It's easy to install too, hiding the unevenness and imperfections often found in older or damaged subfloors. That's why our Starfloor Click Ultimate flooring has found such success in today's market.

Whether you're a new homeowner or you just love design and want an easier way to create your own look, Starfloor Click Ultimate 30 is the floor you're looking for. It requires little or no subfloor preparation while offering a fast and simple route to rigid, resistant flooring that's water- and stainproof. Put it all together and you've got a floor like no other.





1 Ultimate PUR surface treatment

Additional layer of protection which makes the product exceptionally resistant to abrasion and scratches.

(4) Rigid Composite Core (RCC) technology

Provides extreme dimensional resistance and minimizes elongation of the material, ensuring reliably durable performance.

(2) Transparent wear layer

Protects the pattern from wear and damage. Provides high durability, stain and scratch resistance.

(5) Integrated acoustic backing


Reaching 18dB insolation, absorbs into the floor daily thumping and dragging to keep a quiet environment.

(3) High definition decorative print film layer

Our high quality decor prints even include, on most references, a unique grain-effect surface. This captures the texture of the material that inspired it for a stunning realism

6 The I4F triple lock Click system

Simply click the planks or tiles together quickly and effortlessly!







1213 x 178 mm

ULTIMATE RESISTANCE







Life can be messy

Stains from spilt food and dropped glasses at family meals, scuff marks and high-heel dents by party guests, or just the dog's muddy paws from that weekend walk... With kids, pets and a busy home, accidents and mishaps are inevitable. But **Starfloor Click Ultimate 30**'s top coat is strong enough to take whatever comes through your front door and still look brand new, time after time.

Installed anywhere, withstands daily life everywhere

Starfloor Click Ultimate 30 flooring is made to handle life's daily dramas, wherever they occur. Bedrooms, bathrooms, living room, no matter where you install it, it's tough enough for family life.

Its enhanced, rigid-core construction (RCC technology) gives Starfloor Click Ultimate 30 **exceptional stability and strength**. It won't ripple or swell over time, holding its shape and size despite changes in temperature **from 10°C to 50°C** while its beautiful look is unaffected by water, cold or heat. In fact, Starfloor Click Ultimate 30 is so durable that it can handle nearly all kinds of damage. And since it's both **waterproof** and **easy to install**, you can lay it over bathroom ceramic tiles.

Sun-proof, wear-proof, stain-proof, dent-proof, environment-proof, kid-proof and life-proof, Starfloor Click Ultimate 30 can withstand the full force of family life and still look stunning.







* See the installation recommendations

ULTIMATE INSTALLATION















So easy, anyone can do it

Almost every type of flooring requires some kind of subfloor preparation. Thanks to its **integrated acoustic backing**, Starfloor Click Ultimate 30 doesn't need additional acoustic underlay. Its **rigid core** means it can cover over the small bumps and wrinkles commonly found in older or damaged floors.



You can even install it directly over ceramic tiles and most existing subfloors (with joints up to 6mm wide) without the expense and trouble of repairing uneven surfaces beforehand. It's the perfect choice for quick, effective renovations.

Because it's modular, Starfloor Click Ultimate 30 can be installed step-by-step. No need to clear the whole room, just move the furniture as you cover each area, with less disruption to family life.

What's more, the **3L TripleLock Click system** makes installation among the easiest and fastest on the market. It simply clicks together quickly and effortlessly.

All you need is a utility knife to cut the tiles or planks. Forget fancy tools and noisy machinery. Forget gluing, drying or waiting. Once this floor's down, it's ready for use.

And if you want the flexibility to refresh your decor, Starfloor Click Ultimate 30 is also far simpler and more cost-effective to change than ceramic floors.

ULTIMATE DESIGN











Add another dimension to your decoration by amplifying it with textures that bestow upon your floor a look and feel close to the **EFFECT** | real thing.

The Embossed-In-Register technique engraves effects onto your planks and tiles that reproduce wood or stone's natural essence. As light travels across your floor the grain of pattern is reflected, reproducing a lifelike finish all around you.



Use the Cascade Oak colours, with their Smoked, Aged and Shaded variations, to give the floor a subtle interplay of complementary and contrasting tones.

Now timeless becomes 'everyday'

Starfloor Click Ultimate 30 can help you express your creative flair. Made with homeowners in mind, this essential collection offers 18 fresh, contemporary designs ranging from peaceful, rustic tones to white-washed shades and mineral finishes. There's something to match the look and feel of all your rooms. Simply choose the essence and colour that reflect the interior and mood you want to create. Taking its cue from 'everyday' furniture companies that use real wood, the collection coordinates beautifully with modern furniture and accessories.

Beauty through simplicity

The colours and shades, drawn from real parquet and mineral floors, are natural and neutral. The unique grain-effect surface captures the textures of the material that inspired it. Both to the eye and underfoot, the finishes are pleasingly authentic and precise.

The collection blends the latest on-trend designs in oak with a softer countryside look and white- washed shades. For the perfect combination, two mineral designs can easily be mixed with the wood patterns to create zones in open spaces or link with the decor in an adjoining room.

Essential, simple and natural

Inspired by everyday life and designed with natural simplicity, this easy-to-use rigid LVT collection satisfies all your creative aspirations. Choose from Starfloor Click Ultimate 30's selection of beautiful designs and combinations to create the timeless look you've always wanted.

ULTIMATE ACOUSTICS








Let's keep this quiet

There's nothing nicer than enjoying the feel and comfort of your new floor as you walk around quietly. Starfloor Click Ultimate 30 flooring is a real treat for your feet.

Easier on the ears

Our **innovative acoustic backing** significantly reduces the sound of walking across the floor, by 18dB. Whether you're barefoot or not, Starfloor Click Ultimate 30's sound-absorbing qualities mean **quieter footsteps** and a more **peaceful acoustic experience**.

Now, moving around the house is easier on the ears than with other hard floors. Even your kids' bedrooms will seem quieter. Life at home suddenly sounds more peaceful.




Dampen noise levels in rooms and between floors



Decrease in-room sound



Dampens the noise



9

TARKETT DECORATIVE TRENDS

Eclectic Home

Your interior decor is like a travel book filled with memories of wonderful experiences.

Vermont OAK

Craftmenship







Urban Cocoon

Find some peace within the bustle of urban life with a cosy and refined interior.





Lakeside OAK






GREEN FACTOR

Aspiring to create the right balance between modern life and traditional values. You are open to change and you need to integrate the natural world into your everyday life.

Bringing nature


indoors







Cascade OAK



CARING FOR PEOPLE AND THE PLANET

At Tarkett, we believe that together, we can make a positive impact on people and the planet. We strive to make high quality, sustainable flooring to help you create healthier and people-friendly spaces.

We listen to our customers' needs and collaborate with all our stakeholders to design products that deliver optimal performance, promote healthy living and respect natural resources.



We are designing for life

People spend 90% of their time indoors, working, learning and relaxing. We help you to create healthier, safer, more people-friendly indoor spaces by designing high quality, sustainable products. In particular, by continuously improving the health and environment credentials of our products, we strive to select materials that can be recovered, recycled and transformed into new products. Through our focus on Cradle to Cradle® design, we make our products in a way that helps to preserve natural resources and mitigate climate change.



We are closing the loop

With our ReStart® takeback programme, we help you to manage your flooring waste effectively while contributing to safeguarding the world's natural resources and protecting the environment. We recycle your flooring offcuts and waste from our production, transforming it into new, high quality products. In this way, we can collectively close the loop and shift to a circular economy.



We're driving collaboration

The world's great sustainability challenges require co-operation and partnership across industries and supply chains. We encourage our customers and all our stakeholders to join us in working toward positive change. Importantly, we communicate our sustainability progress transparently, and provide you with clear information about our products and ambitions.

Doing Good. Together

Every day, we strive to improve people's lives, preserve natural resources and respect our environment.

DISCOVER OUR FULL STARFLOOR CLICK ULTIMATE 30 COLLECTION

Vermont OAK



Lakeside OAK

Liguria OAK



Light Beige 36004000

Aç 36

Nutmeg

36004006

Cascade OAK




Aged 36005009

Medium Beige 36005013

Galloway OAK

Tarragona



Dark 36006014

Dura



Medium 36006016

Dark 36006017


Warm Brown 36005012

Grey Brown 36005011

15

Vermont OAK

Vermont Oak displays distinctive patterns known as 'cathedrals' in its grain and has very few knots, bringing the warm, textured feel of a wood cabin to your home. The colour gradient at the edges points to the beauty of natural wood.







Light Beige 36004000 Matching skirting 35949000



Medium Grey 36004001 Matching skirting 35949001



Natural 36004002 Matching skirting 35949002

Vermont Oak

Natural 36004002



Scale 1:2





Lakeside OAK

Lakeside Oak is a wide-grained wood with white pores. The washed and limed effects combine with delicate colours to create a sense of serenity and a look that plays well in modern interiors.



Lime Washed 36004003 Matching skirting 35949003



Grey Washed 36004004 Matching skirting 35949004



Light Washed 36004005 Matching skirting 35949005




Lakeside Oak

Lime Washed 36004003

Scale 1:2





Grey Washed 36004004

and the second







Liguria OAK

Liguria Oak has a harmonious texture with subtle grain patterns and minimal colourplay. The balanced appearance of this wood evokes a feeling of calm.



Nutmeg 36004006 Matching skirting 35949006



Vanilla 36004007 Matching skirting 35949007

Liguria Oak

Vanilla 36004007

Scale 1:2



Liguria Oak

Nutmeg 36004006




Scale 1:6






If you're looking for variety and contrast from your floor, Cascade Oak is the perfect choice. Incorporating the Plus Effect, an engraving technique that recreates wood's natural contours for enhanced realism, this design juxtaposes different shades in matching grains. All 3 design colours can be combined to create even greater tonal variation.







Smoked 36005008 Matching skirting 35949008



Aged 36005009 Matching skirting 35949009



Shaded 36005010 Matching skirting 35949010

Cascade Oak decors have been designed with significant tonal variations for a more natural, untouched look. The colours will consequently differ from one plank to another within the same pack.







Galloway OAK

Galloway Oak features a rustic look comprised of cracks and tonal variations within individual planks. The Plus Effect adds a unique grain-effect surface that reproduces the natural essence of wood, lending enhanced realism to the entire range.







Grey Brown 36005011 Matching skirting 35949011




Warm Brown 36005012 Matching skirting 35949012



Medium Beige 36005013 Matching skirting 35949013








Tarragona

Tarragona is a traditional terrazzo finished with the look of overcast concrete. This timeless classic in cold grey colours transforms a centuriesold style of flooring into contemporary design. deret





Dark 36006014 Matching skirting 35949014




Light 36006015 Matching skirting 35949015











Dura

Dura has a polished-concrete design with subtle patterns in 2 warm grey colours. The grey tones are matched to real cement and combine beautifully with natural oak shades.



Medium 36006016 Matching skirting 35949016




Dark 36006017 Matching skirting 35949017



Dura


Dark 36006017






ACCESSORIES FOR AN ULTIMATE FINISH

Stairs





High traffic aluminium stairnose

- To be screwed in
- Very resistant to wear & traffic
- Ribbed surface for slip-resistance
 Elegant finish
- Liegant minsh

L2500 x W40 x H5 mm /10 🕀

- Silver 1434 021
- Stainless steel 1434 022


Aluminium skirting bottom

To be gluedElegant finish

L2500 x H27 mm /10 🕀

- Silver 26626 021
- Stainless steel 26626 022

Transition profiles



Very high traffic aluminium transition profile

To be screwed in

• Very resistant to very high traffic & rolling loads • Ribbed surface for slip-resistance

L2700 mm /10 🏵

Silver 1451 011

Stainless Steel 1451 012



Aluminium transition strip for general traffic areas

To be screwed in

Elegant finish with smooth surface and no visual screws.
Bendable with radius 60cm


L2700 x W24 x H6 mm /10 🕸

- Silver 1451 021
- Stainless steel 1451 022

PVC Decorative Skirtings



PVC semi-rigid skirting for decorative use ○ White KS80-1411 257 L2020 x H80 mm /20 �




Compact PVC skirting Perfectly match all Starfloor Click Ultimate 30 designs

● Decorative film matching collection designs L2020 x H80 mm /5 ↔

Please refer to collection pages for corresponding SAP codes





TECHNICAL DATA SHEET

| Classification | Standards | STARFLOOR CLICK ULTIMATE 30 |
|-----------------------------------|------------------------------|---|
| CE Marking | Standards | EN 14041 |
| Classification | EN 10582 | Heterogeneous Compact Resilient Floorcovering |
| Domestic Classification | EN ISO 10874 | 23 |
| Commercial Classification | | 31 |
| Wear layer binder content | EN ISO 10582 | Type I |
| Technical characteristics | EN 160 10302 | i ype i |
| Surface Treatment | | PUR Ultimate |
| | 51100.04046 | |
| Total thickness | EN ISO 24346 | 5 mm |
| Wear layer thickness | EN ISO 24340 | 0.30 mm |
| Total weight | EN ISO 23997 | 8,35 kg/m ² |
| Installation Method | | Click i4f© |
| Locking system Beveled edge | | 4 micro-bevels |
| | | 4 micro-beveis |
| Performance for CE marking | | |
| DoP Number | | 0132-0074-DoP-2019-06 |
| Slip resistance | EN 13893 | µ ≥ 0,30 |
| Reaction to fire | EN 13501-1 | Bfl-s1 loose laid on concrete and on wood substrate |
| Thermal resistance | EN ISO 10456 | 0,05 m² K/W |
| Electrical Resistance | EN 1081 | >10º Ohm |
| Technical performance | | |
| Impact sound reduction | NF EN ISO 717 / 2 | ΔLw 18dB |
| Noise level index | NF S31-074 | Class C (Ln,e,w < 85 dB) |
| Electrostatical propensity | EN 1815 | <2 kV on concrete |
| Slip resistance | DIN 51130 | R9 |
| Furniture leg | ISO 16581 | No damage |
| Residual Indentation | EN ISO 24343-1 | ≤ 0.10 mm |
| Chemical resistance | EN ISO 26987 | Not affected (0) |
| Underfloor heating | | Yes, maximum 27°C |
| Curl resultant to heat | EN ISO 23999 | ≤1mm |
| Dimensional stability | EN ISO 23999 | ≤ 0.15% |
| Light fastness | EN ISO 105-B02 | ≥ 6 |
| Environmental performances | | |
| Phthalate content | | Phthalate free |
| Total VOC emissions after 28 days | ISO 16000-9 | ≤ 100µg/m³ |
| Design characteristics | | |
| | | |
| Tiles | EN ISO 24342 | 30 x 60 cm = 9/box = 1.62 m ² |
| Tiles | | |
| | EN ISO 24342 EN ISO 24342 | 30 x 60 cm = 9/box = 1,62 m ² 17,8 x 121,3 cm = 8/box = 1,72 m ² 18 |


According to the Europeen Regulation N° 305/2011 for CE Marking, the Declaration of Performance n° 0019-001-DoP-2015-01 is available on our website www.tarkett.com Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 4820 5000 00





Produced under license from 14F https://idf-patents.com



■ WESTERN EUROPE: Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 14788 062 • Belgium: Tarkett N.V. - Tel. +43 252 26 24 11 – Tel. +32 16 35 98 80 • Denmark: Tarkett A/S – Tel. +45 43 90 60 11 • Finland: Tarkett Oy – Tel. +358 9 4257 9000 • France: Tarkett SAS – Tel. +33 1 41 20 42 49 • Germany: Tarkett Holding GmbH – Tel. +49 62 33 810 • Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 • Italy: Tarkett S.A. – Tel. +39 0744 7551 • Luxembourg: Tarkett GDL SA – Tel. +33 2 49 211 8804 • Netherlands: Tarkett BV – Tel. +31 416 685 491 • Norway: Tarkett A/S – Tel. +47 32 20 92 00 • Portugal: Tarkett SA – Tel. +351 21 427 64 20 • Spain: Tarkett Floors S.L. – Tel. +34 91 358 00 35 • Sweden: Tarkett Sverige AB – Tel. +46 771 25 10 00 • Switzerland: Tarkett Holding GmbH – Tel. +41 043 233 79 24 • Turkey: Tarkett Aspen - Tel. +90 212 213 65 80 • United Kingdom: Tarkett Ld – Tel. +361 43 7150 • Poland: Tarkett Polska Sp. z.o. – Tel. +48 221 6 09 231 • Russian Federation: ZAO Tarkett Russian: Tarkett Vol 576 5379 • Slovakia: Tarkett Polska Sp. z.o. – Tel. +48 221 6 09 231 • Russian Federation: ZAO Tarkett RUS - Tel. +7495 775 5379 • Slovakia: Tarkett Polska Sp. Z.O. 0. magyarországi 1317 • South East Europe: Tarkett SEE – Tel. +381 21 7557 649 (44) 569 12 1 • Ukraine: Tarkett Hour CAO Tarkett RUS - Tel. +48 (20) 60 95 68 38 ett 841 • North East Asia: Tarkett Hour Gord (Shanghal) Co. Ltd. – Tel. +61 2 88 53 12 00 • China: Tarkett Floor Covering (Shanghal) Co. Ltd. – Tel. +86 (20) 60 95 68 38 ett 841 • North East Asia: Tarkett Hour Gord (Shanghal) Co. Ltd. – Tel. +91 11 4352 4073 – Mumbai: Tel. +91 2 48 37 14 12 0 41 01 ■ NORTH AMERICA: USA: Tarkett International: Tel. +91 31 41 20 4101 ■ MIDDLE EAST: Tarkett Middle East: Tel. +961 1 51 3363/4 • Israël: Tarkett International: Tel. +33 1 41 20 41 01 ■ NORTH AMERICA: USA: Tarkett International: Tel. +31 24 40 54 38916 • Canada: Tarkett Hour Tel. +1450 293 173 ■ LATIN AMERICA: Brazil: Tarkett International: Tel. +33 1 41 20 41 01 ■ NORTH AMERICA: USA: Tarket

INT EMEA: 6920357007 / INT NL: 6920357008 / INT UK: 6920357009 / INT TDM: 6920357010 / INT GR: 6920357011 / INT EST: 6920357012 / INT LATV: 6920357013 / INT LITH: 6920357014 / INT SK: 6920357015 / INT CZ: 6920357016 / INT HG: 6920357017 / INT TK: 6920357018 / INT ROA: 6920357019

Due to evolution of standards, characteristics indicated in the text and images in this document are not binding only after confirmation by our departments. Design: Twid / Photos: Evolution - Getty images / Print: Altavia



